



Spec: Steel wire

----- Cross -----	
100 to	600 Steel wire Small radius cross
----- Elbow -----	
100 to	600 Steel wire Large radius bend
100 to	600 Steel wire Right angle bend
100 to	600 Steel wire riser inside
100 to	600 Steel wire riser outside
100 to	100 Steel wire Small radius bend
150 to	600 Steel wire Small radius bend
----- Pipe -----	
60mm to	200 Steel wire G-shape
100 to	600 Steel wire Standard range - High
50 to	600 Steel wire Standard range - Medium
50 to	500 Steel wire Standard range-Low
----- Reducer -----	
150 to	800 Steel wire reducer
----- Tee -----	
100 to	600 Steel wire Right angle tee
100 to	600 Steel wire Small radius tee

Spec: Cable ladder

----- Cross -----	
100 to	1000 Cable ladder Equal cross
100 to	1000 Cable ladder Vertical Cross
----- Elbow -----	
100 to	1000 Cable ladder Elbow
100 to	1000 Cable ladder Flat bend 45
100 to	1000 Cable ladder Flat bend 90
100 to	1000 Cable ladder Inside riser 45
100 to	1000 Cable ladder Inside riser 90
100 to	1000 Cable ladder Outside riser 45
100 to	1000 Cable ladder Outside riser 90
100 to	1000 Cable Support Fitting
----- Pipe -----	
100 to	1000 Cable ladder Straight
----- Reducer -----	
100 to	1000 Cable ladder Elevation
150 to	1000 Cable ladder Left reducer
150 to	1000 Cable ladder Right reducer
150 to	1000 Cable ladder Straight reducer
----- Tee -----	
100 to	1000 Cable ladder Equal tee
100 to	1000 Cable ladder Vertical Tee
150 to	1000 Cable ladder Y Left reducer
150 to	1000 Cable ladder Y Right reducer

Spec: Cable tray

----- Cross -----	
-------------------	--

75mm	to	900	Cable tray Heavy equal cross
100	to	1000	Cable tray Horizontal Cross
50	to	900	Cable tray Light equal cross
50	to	900	Cable tray Medium equal cross
----- Elbow -----			
75mm	to	900	Cable tray Heavy flat bend 45
75mm	to	75mm	Cable tray Heavy flat bend 90
100	to	900	Cable tray Heavy flat bend 90
75mm	to	900	Cable tray Heavy riser
100	to	1000	Cable tray Horizontal bend 30
100	to	1000	Cable tray Horizontal bend 45
100	to	1000	Cable tray Horizontal bend 60
100	to	1000	Cable tray Horizontal bend 90
50	to	900	Cable tray Light flat bend 45
50	to	50	Cable tray Light flat bend 90
75mm	to	900	Cable tray Light flat bend 90
50	to	900	Cable tray Light-Medium riser
50	to	50	Cable tray Medium flat bend 45
75mm	to	900	Cable tray Medium flat bend 45
50	to	900	Cable tray Medium flat bend 90
100	to	1000	Cable tray Vertical bend 30, Inside
100	to	1000	Cable tray Vertical bend 45, Inside
100	to	1000	Cable tray Vertical bend 60, Inside
100	to	1000	Cable tray Vertical bend 90, Inside
----- Pipe -----			
50	to	900	Cable tray Heavy straight
50	to	900	Cable tray Light straight
50	to	900	Cable tray Medium straight
----- Reducer -----			
75mm	to	900	Cable tray Heavy reducer
150	to	1000	Cable tray Left reducer
75mm	to	900	Cable tray Light reducer
75mm	to	900	Cable tray Medium reducer
150	to	1000	Cable tray Right reducer
150	to	1000	Cable tray Straight reducer
----- Tee -----			
75mm	to	900	Cable tray Heavy equal tee
100	to	1000	Cable tray Horizontal Tee
50	to	900	Cable tray Light equal tee
50	to	900	Cable tray Medium equal tee

Spec: Trunking

----- Cross -----			
50	to	150	Trunking Crossover
50	to	150	Trunking Crossover square
----- Elbow -----			
50	to	150	Trunking External lid 45 bend
50	to	150	Trunking External lid 90 bend
50	to	150	Trunking External lid gusset bend
50	to	150	Trunking Flat lid 45 bend
50	to	150	Trunking Flat lid 90 bend
50	to	150	Trunking Flat lid gusset bend

50 to	150 Trunking Internal lid 45 bend
50 to	150 Trunking Internal lid 90 bend
50 to	150 Trunking Internal lid gusset bend

----- Pipe -----

50 to	150 Trunking straight
-------	-----------------------

----- Tee -----

50 to	150 Trunking External lid T square
50 to	150 Trunking Flat lid T square
50 to	150 Trunking Internal lid T square